



402



Impact-Resistant Alloy for Manganese Steel

- *Withstands extreme shock, loading & impact.*
- *Ideal for heavy construction & mining equipment overlays and build-ups.*
- *Work hardens to greater depth than manganese steel.*

TRUST *Ease of Application*
MAGNA *Wide Versatility*
FOR *Outstanding Physical Properties*

MAGNA INDUSTRIAL CO. LIMITED
— Total Quality Maintenance



SPECIAL FEATURES

Magna 402 Impact-Resistant Alloy for Manganese Steel makes your equipment last longer.

- **Magna 402** is the cleavage-resisting alloy that withstands even the most severe shock, loading and impact.
- **Magna 402** is engineered to provide outstanding results on heavy construction and mining equipment overlays and build-ups.
- **Magna 402** work-hardens rapidly to a greater depth than manganese steel.


OUTSTANDING PROPERTIES

Magna 402 is the impact-resistant alloy for manganese steel that:

- Contains 50% more manganese than most ordinary manganese-bearing electrodes – lasts longer.
- Provides high yield strength welds.
- Has extremely high resistance to cracking.
- Contains stabilizing elements and special additives to prevent brittleness.
- Is used for all-position welding.
- Can be readily cut with an oxyacetylene torch.

USE FOR

Magna 402 (for AC & DC) is formulated to tackle the tough jobs. Use **Magna 402** where you need a super-hard surface that withstands the most severe conditions. **Magna 402** can be used to join manganese steel to mild steel.



Magna Industrial reserves the right to modify or change this product for purposes of improving its performance characteristics.
© 2004 Magna Industrial Co. Limited.

The Magna trade mark is the property of ITW, Inc., and is used under licence by Magna Industrial Co. Limited

MAGNA INDUSTRIAL CO. LIMITED
Total Quality Maintenance